

ScanWear

'Mobilis' Wrist Lanyard fixation & positioning (ref BSW-WM)

©Baracoda [™] – February 2010



SUMMARY

<u>SUMMARY</u>	<u>2</u>
<u>REVISION HISTORY</u>	<u>3</u>
<u>INTRODUCTION</u>	<u>4</u>
<u>1. SCANWEAR - WRIST LANYARD FIXATION</u>	<u>5</u>
<u>2. PUT THE WRIST LANYARD IN HAND</u>	<u>6</u>
<u>3. PUT SCANWEAR IN ITS CRADLE</u>	<u>9</u>

Revision History

Changes to the original manual are listed below.

Document	Date	Description
2.00	15 feb 2010	Initial release

Introduction


The goal of this document is to detail the fixation of the ScanWear with its 'Mobilis' wrist lanyard in order to guaranty a good use of the solution.

1. ScanWear - Wrist Lanyard fixation





2. Put the wrist lanyard in hand



For Right-Handed :
Put it in the Right hand

For Left-Handed :
Put it in the Left hand

Example : for right-handed



Example : for right-handed

For Right-Handed :
Put the lanyard into the loop from ITS RIGHT

For Left-Handed :
Put the lanyard into the loop from ITS LEFT



Example : for right-handed



Example : for right-handed

3. Put ScanWear in its cradle

